

ARCA-SWISS monoball® p1+:

The **monoball® p1+** is the big sister of the **monoball® p0+** and it retains all of its great features. It is designed to carry heavier equipment, and with its larger-diameter ball it will satisfy the needs of photographers seeking greater smoothness of operation.

Strong and elegant:

The **monoball® p1+** head weighs around 545 g (1.2 lb.) and is able to carry a load up to 40 kg (88 lb.). Like its sister, the **monoball® p0+**, it uses a knurled ring instead of a knob for tightening but is slightly bigger.

Inverted ball head:

With the concept of the inverted ball, the head rotates around the ball: this gives many advantages—the ball is much less exposed to dust and splashes and control of the camera is improved.

Instinctive and maximum control:

It does not matter whether you are left or right-handed, because you can hold your camera with either hand for better motion control and faster locking in position by simply turning the locking ring—no more hunting to find the right knob. You can work by touch alone and focus all your attention on the subject.

The inverted ball reduces the lever arm between the optical axis and the centre of rotation of the ball. A small rotation around the ball will therefore result in a smaller rotation of the camera, giving exceptionally sensitive control.

Powerful:

The **monoball® p1+** develops its unique level of clamping force from the equal pressure that is applied to both sides of the sandwich in which ball is held. This force is derived from an epicyclic gear train with three planetary gears, operated by the knurled ring. This is the origin of the 'p' (for *planetary*) in the name **monoball® p1+**.

Secure:

Like all other **ARCA-SWISS** ball heads, the **monoball® p1+** has an aspherical ball which increases friction with respect to the angle of inclination of the camera: the greater the inclination, the greater the friction. It is an extra security measure to prevent sudden tipping of the camera.

90°tilt and top panning:

The **monoball® p1+** is also capable of extreme movements thanks to a recess in the body of the ball head which allows a 90° tilt. Combined with an upper lockable panning base, overhead or downward views can also be achieved.

Friction +:

The **Friction +** system allows the level of friction required for movement of the ball to be set to a desired value and memorised, thus offering a further measure of security. The degree of smoothness of movement can be set as a function of the weight of the camera.

A design Nominated for Design Prize Switzerland:

“This is an ingenious, consistently realised design approach which generates considerable added value in functional terms. The formal design is notable for its unornamented precision and close attention to detail”. [Nominators’ comment]

design
preis
SCHWEIZ

cp - clicPan® (top panning in angular steps):

The **clicPan®** is a low-profile and lightweight mechanism which provides a variable interval top panning base. It can be easily switched from free to angular, step-by-step rotation.

10 positions can be selected on a setting ring - 40° (9 steps), 30° (12 steps), 24° (15 steps), 20° (18 steps), 15° (24 steps), 12° (30 steps), 10° (36 steps), 7.5° (48 steps), 6° (60 steps) with an *off* position for free panning movement.

Once a setting is chosen, the camera will pan in equal increments, and give a tactile and audible *clic* as it stops at each set step.

The graduated scale around the edge of the base shows the exact angle turned through and a locking lever prevents further movement of the panning base.

flipLock® quick-release:

The **flipLock®** quick-release has two channels, which make it compatible with Classic ARCA-SWISS plates (the most widely used) as well as plates made to the new, narrower & lighter **monoball®Fix** standard.

When used with **monoball®Fix** plates, two pins on its base prevent any unintended slippage of the camera.

The lever has 3 positions: *open* and *closed*, plus an intermediate position, which allows a plate or rail to be slid into position securely. At this setting, the plate or rail cannot be freed.

The movement from closed to open position passes through the intermediate position to maintain safety and avoid accidents such as inadvertent opening of the lever by catching on something.

The **flipLock®** quick-release is adjusted to work perfectly with original **ARCA-SWISS** plates. However, using an adjusting bolt it can adapt to different plates made to **ARCA-SWISS Classic** standards, although tolerances may vary between brands.

Technical specifications - ARCA-SWISS monoball® p1+ cp (clicPan®), flipLock®

- Type: Ball head
- Weight: 645 g / 1.42 lb.
- Weight capacity: 30 kg / 66 lb.
- Base diameter : 75 mm / 2.95 in.
- Base mount: 3/8"-16 threaded socket
- Dimensions (L x W x H): 91 x 75 x 116 mm / 3.58 x 2.95 x 4.57 in.
- Panning at base: No
- Panning at top: Yes, clicPan® with free or adjustable step by step angular rotation, lockable, with precision scale graduated in degrees
- Tilt Range +/- 35° + body recess to reach 90°
- Friction control: Yes, with adjustable friction memory
- Level control: Yes – target bubble level located on the quick release
- Compatible plates: ARCA-SWISS Classic or monoball®Fix

About ARCA-SWISS:

ARCA-SWISS is a company of Swiss origin founded over 80 years ago, and is based in Besançon in France, at the heart of the European centre of microtechniques.

The company specialises in view cameras (film and digital) and photographic accessories. **ARCA-SWISS** has built its reputation through developing innovative and highly practical solutions for the most discerning photographers.

All its products are designed, made and assembled by hand. They combine robustness, precision and smoothness of movements with the brand's signature minimalist design.

Each **ARCA-SWISS** product is a long-term investment that will last you a lifetime. It can be serviced or repaired in the manufacturer's workshops to ensure your continuing enjoyment.